REMARKS

The last Office Action of January 11, 2005 has been carefully considered.

Reconsideration of the instant application in view of the foregoing amendments and the following remarks is respectfully requested.

Claims 1-24 are pending in the application. Claims 1, 2, 10, 13, 14, 16, 18, have been amended. No claim has been canceled. Claim 25 has been added. A total of 25 claims are now on file. The Commissioner is authorized to charge the claim surcharge of \$25.00 to Deposit Account No: 06-0502. Amendments to the specification have been made. Fig. 3 has been amended, and a new drawing sheet is submitted and labeled "Replacement Sheet".

It is noted that claims 10, 14, 16, and 18 are rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 1-16 and 22-24 stand rejected under 35 U.S.C. §103(a) as being unpatentable over U.S. Pat. No. 6,464,074 to Dimbath in view of U.S. Pat. No. 4,427,113 to Wanner.

Claims 17-21 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Dimbath in view of Wanner, and further in view of U.S. Pat. No. 5,219,075 to White.

AMENDMENTS TO THE DRAWINGS WITHOUT MARKINGS

IN THE DRAWING:

Fig. 3 has been amended.

REJECTION OF CLAIMS 10, 14, 16, 18 UNDER 35 U.S.C. §112, SECOND PARAGRAPH

Applicant has amended claims 10, 14, 16, and 18 to address the §112 rejection. These changes are self-explanatory and cosmetic in nature and should not be considered as a narrowing amendment to trigger prosecution history estoppel.

Withdrawal of the rejection of the claims 10, 14, 16, and 18 under 35 U.S.C. §112, second paragraph is thus respectfully requested.

REJECTION OF CLAIMS 1-24 UNDER 35 U.S.C. §103(a)

Applicant has amended claim 1 by setting forth that the stiffening frame is constructed in such a way as not to project into the bell of the brass instrument. In addition, applicant submits herewith a new claim 25 which positively sets forth the combination of a carrying bag according to claim 1 and a brass instrument.

The Dimbath reference describes a carrying bag of flexible material.

Dimbath is silent as to the provision of a stiffening frame.

The Wanner reference describes an instrument case having a lid (24) which includes a body portion (28) and a cover portion (30). As stated in col. 4, lines 19 to 22, "[T]he body portion 28 is tapered and contoured so that it may reside substantially within the bell B of the trombone T.". This is also clearly indicated in Fig. 2. In contrast thereto, claim 1, now on file, clearly sets forth that

the stiffening frame does not project into the bell. As a consequence of the Wanner configuration of the body portion (28), the lid (24) must be removed in order to allow placement of the instrument in the case. This is cumbersome and in addition, the Wanner case is comparatively heavy. In contrats thereto, the stiffening frame of the instant specification not only stiffens the front end portion of the instrument case, but does not substantially add to the weight.

In addition, it is applicant's contention that Wanner, in fact, fails to disclose a frame but merely describes the provision of an insert. The term "frame" implies a structure that is open for admitting, enclosing, supporting something, see e. g. Webster's Third New International Dictionary, 1986, page 902 (copy enclosed). Neither the lid (24) nor the body portion (28) in Wanner appear to be an open structure.

In order to be clear, applicant has amended Fig. 3 to label the opening of the stiffening frame by reference numeral "13". The specification has been amended accordingly (see paragraph [0026]).

It is also applicant's contention that a combination of Dimbath and Wanner would not produce the present invention because Dimbath's case would have to be modified with a detachable lid having a tapered and contoured body portion to fill the space inside the bell. This is not what the inventor of the instant application contemplated and this is not the invention for which protection is sought.

For the reasons set forth above, it is applicant's contention that neither

Dimbath nor Wanner, nor a combination thereof teaches or suggests the features

of the present invention, as recited in claim 1.

As for the rejection of the retained dependent claims, these claims depend

on claim 1, share its presumably allowable features, and therefore it is

respectfully submitted that these claims should also be allowed.

It should, however, be noted that these dependent claims contain

individual patentable features per se. In this connection, applicant wishes to refer

e.g. to claim 13 which sets forth the particular configuration of the stiffening frame

including the reference to an opening, (here, e.g. a central opening) to indicate

the presence of a "frame" and the feature that the rim portion encircles the bell on

the outside. In this way, the bell is protected. Please note again, that the body

portion (28) provides no outside protection, as it is received inside the bell.

Applicant further wishes to refer to claim 23 which has been rejected by

the Examiner by the general statement that no new and unexpected result can

be ascertained. Applicant respectfully disagrees. The inclined end disposition of

the end portion provides for an improved stability.

Withdrawal of the rejection of claims 1-24 under 35 U.S.C. §103(a) and

allowance of claims 1-25 are thus respectfully requested.

CLARIFICATION AMENDMENT

Applicant has amended the specification to correct obvious grammatical

13

and/or typographic errors. These changes are self-explanatory and do not

contain any new matter.

CITED REFERENCES

Applicant has also carefully scrutinized the further cited prior art and finds

it without any relevance to the newly submitted claims. It is thus felt that no

specific discussion thereof is necessary.

CONCLUSION

Applicant believes that when reconsidering the claims in the light of the

above comments, the Examiner will agree that the invention is in no way properly

met or anticipated or even suggested by any of the references however they are

considered.

In view of the above presented remarks and amendments, it is respectfully

submitted that all claims on file should be considered patentably differentiated

over the art and should be allowed.

Applicant further submits a certified copy of the priority document under

35 U.S.C. §119(a)-(d).

Reconsideration and allowance of the present application are respectfully

requested.

14

Should the Examiner consider necessary or desirable any formal changes anywhere in the specification, claims and/or drawing, then it is respectfully requested that such changes be made by Examiner's Amendment, if the Examiner feels this would facilitate passage of the case to issuance. If the Examiner feels that it might be helpful in advancing this case by calling the undersigned, applicant would greatly appreciate such a telephone interview.

Respectfully submitted,

By

Henry M. Feiereisen Agent For Applicant

Reg. No: 31,084

Date: April 11, 2005 350 Fifth Avenue Suite 4714 New York, N.Y. 10118

(212)244-5500

HMF:af





APR 1 3 2005

A GENUINE MERRIAM-WEBSTER

The name Webster alone is no guarantee of excellence. It is used by a number of publishers and may serve mainly to mislead an unwary buyer.

A Merriam-Webster® is the registered trademark you should look for when you consider the purchase of dictionaries or other fine reference books. It carries the reputation of a company that has been publishing since 1831 and is your assurance of quality and authority.

COPYRIGHT © 1986 BY MERRIAM-WEBSTER INC.

PHILIPPINES COPYRIGHT 1986 BY MERRIAM-WEBSTER INC.

WEBSTER'S THIRD NEW INTERNATIONAL DICTIONARY PRINCIPAL COPYRIGHT 1961

Library of Congress Cataloging in Publication Data Main entry under title:

Webster's third new international dictionary of the English language, unabridged.

Includes index.

1. English language—Dictionaries. I. Gove,
Philip Babcock, 1902-1972. II. Merriam-Webster Inc.
PE1625.W36 1986 423 85-31018
ISBN 0-87779-201-1 (blue Sturdite)
ISBN 0-87779-206-2 (imperial buckram)

All rights reserved. No part of this work covered by the copyrights hereon may be reproduced or copied in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without written permission of the publisher.

MADE IN THE UNITED STATES OF AMERICA 44AG/KP91



PRODUCE (Gear A malbance and disorder wounds —Shak)
Renouse (See A malbance and disorder wounds —Shak)
Renouse (See A malbance to secure southeast Asia —Benstrunglinger (See A malbance to secure southeast Asia —Benfitting and unities the State common in 1860 and shipped it by
(Jermer to be set up in the new settlement —Amer, Gulds
Series: Wash) (Jermer a bost in the cellins and shipped it by
(Jermer to be set up in the new settlement —Amer, Gulds
Series: Wash) (Jermer a bost in the cellins and ompe buildoutside); 27° 8 1 "ITTM, ANTICULATE (Jermed a reply in words
in the form for sutering but without making an —Richard
(theri laps — demolusu laps Jermed an affirmative, but never
intered it —Zane Groy) 8 8 1: to provide with a frame; enclose in a frame (~a picture); also into maly, the had had the
(a face Jermer) (A malbance); also into maly, the had had the
(a face Jermer) (Jermer) and interest intered it —Zane Groy) 8 8 1: to provide with a frame; enclose in a frame (~a picture); also into maly, the had had the
(a face Jermer) (Jermer) (Jermer) (Jermer) (Jermer) (Jermer)
Woolf) (his year were framed absortion) (Jermer) (Jermer)
Woolf) (his year were framed absortion) (Jermer) (Jermer)
Woolf) (his year were framed absortion) (Jermer)
Woolf) (his year were framed)
Woolf) (his yea

listing or other scheme in stantile for identification of the elementary sampling units that constitute a population strame \"\alpha also framed \-md\ adj : having a wood frame (a ~ building with brick siding) (inexpensive ~ houses): having a frame (of a specified material) (a steel-frame office building) (reinforced concrete ~ construction) framea \'\framea\'\

FREQUENCY \(\fram{1} \fram{1} \adj : \text{having no frame (a \simple picture)} \)
frame-less \(\fram{1} \fram{1} \fram{1} \adj : \text{having no frame (a \simple picture)} \)
frame-man \(\frac{1}{2} \text{mon} \cdot n, \ p\) framemen : a telephone worker who connects the terminals of trunk and local lines on a wire-

frame-less \(\fram\) is \(ad\) : having no frame \((a \sim \) picture \) frame-man \(\fram\) is \(n, pl\) framemen : a telephone worker who connects the terminals of trunk and local lines on a wire-distributing frame

frame of reference 1 : an arbitrary set of usu. orthogonal axes with reference to which the position or motion of a point, body, or group of bodies is described or with reference to which physical laws are formulated \(2 \) a a usu. systematic set of principles, rules, or presuppositions or a system of laws, mores, or values or an interlocking group of facts or ideas serving to orient or give particular meaning (as to a fact, statement, or point of view) or serving as a matrix for behavior or for the formation of attitudes; broadly: \(\text{VIEWPOINT}, \) THEORY (give me some frame of reference in which to discuss his contention \(-N\). Y. Times\(\text{(each of us views the problem from his particular and limited frame of reference \(-S\). G. DiMichael\(\) (the most common frames of reference that the term evokes \(-\text{economic theories or political loyalities, specific industries or all industries, all foreign countries or particular ones \(-S\). L. Payne\(\) b : the characteristics of a ground which influence or determine the perception of a figure against it frames \((T\) (Trams\((T) \) n \(-S\) 1 : one that frames: as a : INVENTOR, CONTRIVER, FORMULATOR (a \(\pi\) of with turns of phrase\(\) b): a worker who makes frames (as of boxes) or assembles frames frames for an intricate poetic stanza\(\) (a \(\pi\) of the constitution\(\) (a \(\pi\) of with turns of phrase\(\p) b): a worker who makes frames (as of boxes) or assembles frames pres \(3d\) sing of FRAME, \(p\) of FRAME frames pres \(3d\) sing of FRAME, \(p\) of FRAME frames pres \(3d\) sing of FRAME, \(p\) of FRAME story or frame tale \(n\) [It and \(\pi\) or single set of the hels of two consecutive frames of a ship frame spinning \(n\) is a position of a frame another story or a series of other stories

brick facing —Current Biog.) (the huge stone chimney and part of the ~ are probably all that is left of an original ones room house —Amer. Guide Series: Conn.)
framing chisel n: a long sturdy chisel designed for rough carpentry work
framing square n: a large carpenter's square graduated with scales typically for use in cutting off and notching (as rafters or stair joist)
frammed past of FRAM
framming pres part of FRAM
frammed add [Origin unknown] 1 obs: PEEVISH, CROSS, VEXATIOUS, QUARRELSOME 2 obs, of a horse: FIERY, SPIRITED frams pres 3d sing of FRAM
franc \(\text{franck} \cdot n \text{ s} \) [MARCHESOME 2 obs, of a horse: FIERY, SPIRITED frams pres 3d sing of FRAM
franc \(\text{franck} \cdot n \text{ s} \) [MARCHESOME 2 obs, of a horse: FIERY, SPIRITED frams pres 3d sing of FRAM
franc \(\text{franch} \cdot n \text{ s} \) [MARCHESOME 2 obs, of a horse: FIERY, SPIRITED frams pres 3d sing of FRAM
franc \(\text{franch} \cdot n \text{ s} \) [MARCHESOME 2 obs, of a horse: FIERY, SPIRITED frams pres 3d sing of FRAM
franc \(\text{franch} \cdot n \text{ s} \) [MARCHESOME 2 obs, of a horse: FIERY, SPIRITED francs of the French, the device on the 14th cent. francs), fr. Lt., Frank — more at FRANK]
1 a: an old French gold coin first struck in 1360 b: an old French silver coin issued from 1575 to 1641 2 a (1): the basic monetary unit of modern France established during the Revolution — see MONEY table (2): a coin representing this unit b: any of numerous monetary units of Deciding the Revolution— see MONEY table (2): a coin representing coins orig. equivalent to the French franc — see MONEY table of [Alb french dependencies b: a coin representing one of these units 4: a monetary unit of Morocco equivalent to Moo dirham — see MONEY table of the franch from the france of the kind or style prevalent in France: FRENCH
france orso n, often cap F: a deep pink to purplish pink that is deeper than arbutus
fran-chise \

fran-chise-ment \-ment, -chezm- sometimes of fra (a) n'chi-\ n - s (MF, fr. OF franchissement, fr. fr. and fra (a) n'chi-\ n - s (MF, fr. OF franchissement, fr. fr. and franchiser \-ment]: ENFRANCHISEMENT fran-chiser \-'franchize(r), -raan- sometimes for the send of the

Clares, and the Franciscan tertaines franciscan.ism. \(\frac{1}{2} \) kanisam\ \(n - s \) often cap: Franciscan.ism\ \(n - s \) franciscan.

ifree of charge: FRANKED: a: postage free bijd free

franco- comb form, usu cap [ML, fr. Francus French
LL, Frank — more at FRANK]: French and (Francis I: French (Francophile)
franco-ism \(\frank\overline{O}\); ranko-ism \(\frank\overline{O}\);

continuing in of a use to the picsent as, LOW FRANCONIAN franco-nia potatoes \nēo-, -nyo-\ n pl, usu cap Frenco- with a roast and often basted with the driftanco-phile \franco-phile \f usu cap [Franco-friendly or

friendly or attracted toward France or French out customs
2 trancophile \"\ or francophil \"\ n -s usu cap [Francophile, -phile, -phil

sniper
FR and CO abbr free of riot and civil commotion
fran gi-bil-i-ty \franje\biled.\(\bar{e}\) n-Es: the quality
hairs frangible

fran.gl.bil.-ty \franjə'biləd.\(\tilde{\epsilon}\) \ n = \(\tilde{\epsilon}\); \ \text{franja'bile} \ \(\tilde{\epsilon}\) \ \ \ \text{adj} \ [ME, fr. MF & ML: \text{frangibile}\] \ \ \ \text{frangibiles}, \ fr. \ \[\text{frangre}\] \ \ \text{to break} \ \ \ \ \ \text{billis} \] \ \ \text{ibils} \] \ \ \text{ibils} \] \ \ \text{frangibiles}, \ \(\text{frangibiles}\) \ \ \text{frangibiles}, \ \text{frangibiles} \] \ \ \ \text{frange}\] \ \ \text{frangibiles} \] \ \ \text{frangibiles

so deplorable an event —Elinor Wylie) — frangille respectively frangible bullet n: a bullet used in firing practice the into powder or fragments upon contact with the into powder or fragments upon contact with the franging pane \ frangipane, a kind of perfume orig. used to gloves, after the Marquis Muzio Frangipane or fran

erties
frangula emodin n: EMODIN
frangulin \lan\ n - s [ISV frangul- (fr. NL frangulgrie formed in G]: an orange crystalline glycoside
grie formed in G]: